

Material Safety Data Sheet

Page: 1 of 3

Infosafe No. YSY5D Issue Date : October 2007 APPROVED by PLESSJAL

Product Name : **Gemini Timber**

Not classified as hazardous according to criteria of NOHSC

COMPANY DETAILS

Company Name Peerless Jal Pty Ltd (ABN 53 006 489 345)
Address 10-12 Raglan Street Preston
Victoria 3072 Australia
Tel/Fax Tel:
(03) 9416 6700
Fax:
(03) 9416 8516
Email sales@peerlessjal.com
Other Information The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising from or in any way connected with the handling, storage, use or disposal of the material.

IDENTIFICATION

Product Code WT47
Product Name Gemini Timber
Proper Shipping Name None Allocated
UN Number None Allocated
DG Class None Allocated
Packing Group None Allocated
Hazchem Code None Allocated
Poisons Schedule Not Scheduled
Product Use Use as a polish on internal sealed timber floors.

Physical Data

Appearance Opaque white liquid with acrylic polymer odour
Boiling Point Approximately 100°C (@ 760mm Hg)
Vapour Pressure Not known
Specific Gravity 1.032 ± 0.005
Flash Point Non flammable
Flamm. Limit LEL Not applicable
Flamm. Limit UEL Not applicable
Solubility in Water Infinite

Other Properties

Volatile Component 76.0 - 78.0%
pH Value 8.5 - 9.5
Form Liquid
Other Information Coverage 40 - 80 m² / L

Ingredients

Ingredients	Name	CAS	Proportion
	Metal linked acrylic polymer	N/A	10-60 %
	High boiling point solvents	N/A	0-10 %
	Plasticizers	N/A	0-10 %
	Polyethylene waxes	N/A	0-10 %

Material Safety Data Sheet

Page: 2 of 3

Infosafe No. YSY5D Issue Date : October 2007 APPROVED by PLESSJAL

Product Name : **Gemini Timber**

Not classified as hazardous according to criteria of NOHSC

Ingredients	Name	CAS	Proportion
	Alkali soluble resin	N/A	0-10 %
	Water	N/A	To 100%

HEALTH HAZARD INFORMATION

Health Effects

Acute - Swallowed	May result in nausea & vomiting.
Acute - Eye	Slightly irritating to the eyes.
Acute - Skin	Possible irritant on repeated or prolonged contact.
Acute - Inhaled	No known affect.

First Aid

Swallowed	Do NOT induce vomiting. Give glass of water and seek medical advice.
Eye	Hold eyelids open and irrigate with water for at least 15 minutes. See a doctor if affects persist.
Skin	Remove contaminated clothing, wash affected area with soap and water.
Inhaled	Not applicable.

Advice to Doctor

Other Health Hazard Information

PRECAUTIONS FOR USE

Exposure Limits	Not determined for this mixture.
Eng. Controls	Ventilation: No special requirements.

Personal Protection

Protective Equip.	Avoid contact with skin and eyes. Wear ripple sole boots (eg rubber boots) to reduce slip problems while pouring and using. Wear protective goggles while pouring.
--------------------------	--

Flammability

Fire Hazards	Non - flammable.
---------------------	------------------

SAFE HANDLING INFORMATION

Storage and Transport

Transport	This product has been classified according to the Australian code for the Transport of Dangerous Goods by road and rail. (ADG Code)
Storage and Transport	No special requirements. Store between 5°C and 35°C.
Proper Shipping Name	None Allocated

Spills and Disposal

Spills & Disposal	DO not allow to dry. Dike with inert material. Transfer liquid to containers for recovery or disposal. Coagulate liquid emulsion by step-wise addition of ferric chloride and lime. Flush clear liquor to sewer. Incinerate solids and diking material at a permitted facility.
------------------------------	--

Fire/Explosion Hazard

Fire/Explos. Hazard	Material is non-flammable but will spatter above 100°C. Polymer film will burn. No known harmful decomposition products formed. Treat fire for materials actually involved in the fire.
Hazchem Code	None Allocated

OTHER INFORMATION

Material Safety Data Sheet

Page: 3 of 3

Infosafe No.	YSY5D	Issue Date : October 2007	APPROVED by PLESSJAL
--------------	-------	---------------------------	----------------------

Product Name : **Gemini Timber**

Not classified as hazardous according to criteria of NOHSC

Other Information ID No.: WT47-01

CONTACT POINT

Technical Contact Point Technical Department
10-12 Raglan Street,
Preston, Vic, 3072.
...End Of MSDS...