

Prices valid from: 131004



The quality you expect

The GWD 300 range of wet and dry professional vacuums incorporates all of the technical excellence and attention-to-detail that has made Nilfisk the brand of choice amongst cleaning professionals around the globe.

All models are based on a modular design, which means that you can easily switch platforms if required. The large handles on the GWD 300 range gives easy access to the container. The parking positions on all models make it easy to store and transport - and also it looks nicer, when the machine is parked in e.g. a public area.

The GWD range also features a commercial vacuum cleaner for dry applications only - GD 320. See more details under commercial vacuum cleaners.

By focusing on the essentials the GWD 300 range offers the best: An extensive, fully integrated line from Nilfisk-Advance with attractive price.

Features

- ⌘ A range of vacuums to meet most "every day wet and dry pickup" needs
- ⌘ Modular design allows easy and flexible interchange of platforms
- ⌘ Quality features provide better productivity
- ⌘ Fast access to float basket and filters for cleaning and maintenance

Prices valid from: 131004

Model	GWD 320	GWD 320	GWD 320	GWD 320	GWD 320
Ref. no	905 8101 010	905 8102 010	905 8103 010	905 8104 010	905 8105 010
RRP (€)					
140 8244 000 BRUSH NOZZLE	■	■	■	■	■
140 8012 000 CREVICE NOZZLE	■	■	■	■	■
140 9597 500 EXTENSION TUBE STEEL D40					
140 9512 500 FILTER SACK					
140 8658 500 FILTER SACK GD 320/GWD300	■	■	■	■	■
140 9596 500 HOSE HANDLE STEEL D40					
140 6430 500 HOSE PLASTIC D32MM L1,9	■	■	■	■	■
140 9595 500 HOSE PLASTIC D40					
140 8682 500 MOTOR FILTER	■	■	■	■	■
140 9599 500 NOZZLE CREVICE D40					
140 9598 510 NOZZLE DRY BRUSH D32	■	■	■	■	■
140 9598 530 NOZZLE DRY BRUSH D40					
22351900 NOZZLE UPHOLSTERY BLACK	■	■	■	■	■
140 9598 520 NOZZLE WET D40					
140 9598 500 NOZZLE WET RUBB.STRIP D32	■	■	■	■	■
140 8246 040 TUBE STEEL L=500MM	■	■	■	■	■

Technical specifications	GWD 320	GWD 320	GWD 320	GWD 320	GWD 320
	EU	UK	AUS/NZ	JP	TW
PLUG TYPE	EU	UK	AUS/NZ	JP	TW
VOLT/FREQUENCY (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60	100/50-60	110-120/50-60
IP PROTECTION CLASS	24	24	24	24	24
RATED POWER (W)	1350	1350	1350	1350	1350
SUCTION POWER END OF TUBE (W)	260	260	260	260	260
AIRFLOW (L/SEC)	37	37	37	37	37
VACUUM AT NOZZLE (KPA)	22	22	22	22	22
SOUND PRESSURE LEVEL (DB(A) BS 5415)	67	67	67	67	67
SOUND POWER LEVEL (DB(A)IEC 704)	82	82	82	82	82
TANK CAPACITY (L)	20	20	20	20	20
DUST BAG CAPACITY (L)	13	13	13	13	13
MAIN FILTER AREA (CM²)	1350	1350	1350	1350	1350
BRUSH DIAMETER (MM)	-	-	-	-	-
LENGTH X WIDTH X HEIGHT (CM)	44X41X57	44X41X57	44X41X57	44X41X57	44X41X57
WEIGHT (KG)	7,7	7,7	7,7	7,7	7,7

Prices valid from: 131004

Model	GWD 335	GWD 335	GWD 335	GWD 335	GWD 335
Ref. no	905 8301 010	905 8302 010	905 8303 010	905 8304 010	905 8305 010
RRP (€)					
140 8244 000 BRUSH NOZZLE	■	■	■	■	■
140 8012 000 CREVICE NOZZLE	■	■	■	■	■
140 9597 500 EXTENSION TUBE STEEL D40					
140 9512 500 FILTER SACK					
140 8658 500 FILTER SACK GD 320/GWD300	■	■	■	■	■
140 9596 500 HOSE HANDLE STEEL D40					
140 6430 500 HOSE PLASTIC D32MM L1,9	■	■	■	■	■
140 9595 500 HOSE PLASTIC D40					
140 8682 500 MOTOR FILTER	■	■	■	■	■
140 9599 500 NOZZLE CREVICE D40					
140 9598 510 NOZZLE DRY BRUSH D32	■	■	■	■	■
140 9598 530 NOZZLE DRY BRUSH D40					
22351900 NOZZLE UPHOLSTERY BLACK	■	■	■	■	■
140 9598 520 NOZZLE WET D40					
140 9598 500 NOZZLE WET RUBB.STRIP D32	■	■	■	■	■
140 8246 040 TUBE STEEL L=500MM	■	■	■	■	■

Technical specifications	GWD 335	GWD 335	GWD 335	GWD 335	GWD 335
	EU	UK	AUS/NZ	JP	TW
PLUG TYPE	EU	UK	AUS/NZ	JP	TW
VOLT/FREQUENCY (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60	100/50-60	110-120/50-60
IP PROTECTION CLASS	24	24	24	24	24
RATED POWER (W)	1350	1350	1350	1350	1350
SUCTION POWER END OF TUBE (W)	260	260	260	260	260
AIRFLOW (L/SEC)	37	37	37	37	37
VACUUM AT NOZZLE (KPA)	22	22	22	22	22
SOUND PRESSURE LEVEL (DB(A) BS 5415)	67	67	67	67	67
SOUND POWER LEVEL (DB(A)IEC 704)	82	82	82	82	82
TANK CAPACITY (L)	35	35	35	35	35
DUST BAG CAPACITY (L)	17	17	17	17	17
MAIN FILTER AREA (CM²)	1350	1350	1350	1350	1350
BRUSH DIAMETER (MM)	-	-	-	-	-
LENGTH X WIDTH X HEIGHT (CM)	44x41x72	44x41x72	44x41x72	44x41x72	44x41x72
WEIGHT (KG)	8	8	8	8	8

Prices valid from: 131004

Model	GWD 350	GWD 350	GWD 350	GWD 350	GWD 350
Ref. no	905 8401 010	905 8402 010	905 8403 010	905 8404 010	905 8405 010
RRP (€)					
140 8244 000 BRUSH NOZZLE					
140 8012 000 CREVICE NOZZLE					
140 9597 500 EXTENSION TUBE STEEL D40	■	■	■	■	■
140 9512 500 FILTER SACK	■	■	■	■	■
140 8658 500 FILTER SACK GD 320/GWD300					
140 9596 500 HOSE HANDLE STEEL D40	■	■	■	■	■
140 6430 500 HOSE PLASTIC D32MM L1,9					
140 9595 500 HOSE PLASTIC D40	■	■	■	■	■
140 8682 500 MOTOR FILTER	■	■	■	■	■
140 9599 500 NOZZLE CREVICE D40	■	■	■	■	■
140 9598 510 NOZZLE DRY BRUSH D32					
140 9598 530 NOZZLE DRY BRUSH D40	■	■	■	■	■
22351900 NOZZLE UPHOLSTERY BLACK					
140 9598 520 NOZZLE WET D40	■	■	■	■	■
140 9598 500 NOZZLE WET RUBB.STRIP D32					
140 8246 040 TUBE STEEL L=500MM					

Technical specifications	GWD 350	GWD 350	GWD 350	GWD 350	GWD 350
PLUG TYPE	EU	UK	AUS/NZ	JP	TW
VOLT/FREQUENCY (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60	100/50-60	110-120/50-60
IP PROTECTION CLASS	24	24	24	24	24
RATED POWER (W)	1350	1350	1350	1350	1350
SUCTION POWER END OF TUBE (W)	260	260	260	260	260
AIRFLOW (L/SEC)	42	42	42	42	42
VACUUM AT NOZZLE (KPA)	22	22	22	22	22
SOUND PRESSURE LEVEL (DB(A) BS 5415)	67	67	67	67	67
SOUND POWER LEVEL (DB(A)IEC 704)	82	82	82	82	82
TANK CAPACITY (L)	50	50	50	50	50
DUST BAG CAPACITY (L)	20	20	20	20	20
MAIN FILTER AREA (CM²)	2260	2260	2260	2260	2260
BRUSH DIAMETER (MM)	-	-	-	-	-
LENGTH X WIDTH X HEIGHT (CM)	72x59x100	72x59x100	72x59x100	72x59x100	72x59x100
WEIGHT (KG)	20	20	20	20	20

Prices valid from: 131004

Model	GWD 375	GWD 375	GWD 375	GWD 375	GWD 350-2
Ref. no	905 8701 010	905 8702 010	905 8703 010	905 8705 010	905 8501 010
RRP (€)					
140 8244 000 BRUSH NOZZLE					
140 8012 000 CREVICE NOZZLE					
140 9597 500 EXTENSION TUBE STEEL D40	■	■	■	■	■
140 9512 500 FILTER SACK	■	■	■	■	■
140 8658 500 FILTER SACK GD 320/GWD300					
140 9596 500 HOSE HANDLE STEEL D40	■	■	■	■	■
140 6430 500 HOSE PLASTIC D32MM L1,9					
140 9595 500 HOSE PLASTIC D40	■	■	■	■	■
140 8682 500 MOTOR FILTER	■	■	■	■	■
140 9599 500 NOZZLE CREVICE D40	■	■	■	■	■
140 9598 510 NOZZLE DRY BRUSH D32					
140 9598 530 NOZZLE DRY BRUSH D40	■	■	■	■	■
22351900 NOZZLE UPHOLSTERY BLACK					
140 9598 520 NOZZLE WET D40	■	■	■	■	■
140 9598 500 NOZZLE WET RUBB.STRIP D32					
140 8246 040 TUBE STEEL L=500MM					









Technical specifications	GWD 375	GWD 375	GWD 375	GWD 375	GWD 350-2
PLUG TYPE	EU	UK	AUS/NZ	TW	EU
VOLT/FREQUENCY (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60	110-120/50-60	220-240/50-60
IP PROTECTION CLASS	24	24	24	24	24
RATED POWER (W)	1350	1350	1350	1350	2700
SUCTION POWER END OF TUBE (W)	260	260	260	260	380
AIRFLOW (L/SEC)	42	42	42	42	60
VACUUM AT NOZZLE (KPA)	22	22	22	22	22
SOUND PRESSURE LEVEL (DB(A) BS 5415)	67	67	67	67	69
SOUND POWER LEVEL (DB(A)IEC 704)	82	82	82	82	84
TANK CAPACITY (L)	75	75	75	75	50
DUST BAG CAPACITY (L)	22	22	22	22	20
MAIN FILTER AREA (CM²)	2260	2260	2260	2260	2260
BRUSH DIAMETER (MM)	-	-	-	-	-
LENGTH X WIDTH X HEIGHT (CM)	72x59x100	72x59x100	72x59x100	72x59x100	72x59x100
WEIGHT (KG)	20,5	20,5	20,5	20,5	21,5

Prices valid from: 131004

Model	GWD 350-2	GWD 350-2	GWD 375-2	GWD 375-2	GWD 375-2
Ref. no	905 8502 010	905 8503 010	905 8801 010	905 8802 010	905 8803 010
RRP (€)					
140 8244 000 BRUSH NOZZLE					
140 8012 000 CREVICE NOZZLE					
140 9597 500 EXTENSION TUBE STEEL D40	■	■	■	■	■
140 9512 500 FILTER SACK	■	■	■	■	■
140 8658 500 FILTER SACK GD 320/GWD300					
140 9596 500 HOSE HANDLE STEEL D40	■	■	■	■	■
140 6430 500 HOSE PLASTIC D32MM L1,9					
140 9595 500 HOSE PLASTIC D40	■	■	■	■	■
140 8682 500 MOTOR FILTER	■	■	■	■	■
140 9599 500 NOZZLE CREVICE D40	■	■	■	■	■
140 9598 510 NOZZLE DRY BRUSH D32					
140 9598 530 NOZZLE DRY BRUSH D40	■	■	■	■	■
22351900 NOZZLE UPHOLSTERY BLACK					
140 9598 520 NOZZLE WET D40	■	■	■	■	■
140 9598 500 NOZZLE WET RUBB.STRIP D32					
140 8246 040 TUBE STEEL L=500MM					

Technical specifications	GWD 350-2	GWD 350-2	GWD 375-2	GWD 375-2	GWD 375-2
PLUG TYPE	UK	AUS/NZ	EU	UK	AUS/NZ
VOLT/FREQUENCY (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60	220-240/50-60	220-240/50-60
IP PROTECTION CLASS	24	24	24	24	24
RATED POWER (W)	2700	2700	2700	2700	2700
SUCTION POWER END OF TUBE (W)	380	380	380	380	380
AIRFLOW (L/SEC)	60	60	60	60	60
VACUUM AT NOZZLE (KPA)	22	22	22	22	22
SOUND PRESSURE LEVEL (DB(A) BS 5415)	69	69	69	69	69
SOUND POWER LEVEL (DB(A)IEC 704)	84	84	84	84	84
TANK CAPACITY (L)	50	50	75	75	75
DUST BAG CAPACITY (L)	20	20	22	22	22
MAIN FILTER AREA (CM²)	2260	2260	2260	2260	2260
BRUSH DIAMETER (MM)	-	-	-	-	-
LENGTH X WIDTH X HEIGHT (CM)	72x59x100	72x59x100	72x59x100	72x59x100	72x59x100
WEIGHT (KG)	21,5	21,5	22	22	22

Prices valid from: 131004

Accessories		Ref. no	Min. required	Price ()	GWD 320	GWD 335	GWD 350	GWD 375	GWD 350-2	GWD 375-2
	NOZZLE WET RUBB.STRIP D32 BLACK	140 9598 500	1		■	■				
	NOZZLE DRY BRUSH D32 BLACK	140 9598 510	1		■	■				
	NOZZLE WET D40 RUBBER STRIP BLACK	140 9598 520	1				■	■	■	■
	NOZZLE DRY BRUSH D40 BLACK	140 9598 530	1				■	■	■	■
	BRUSH NOZZLE	140 8244 000	1		■	■				
	NOZZLE UPHOLSTERY BLACK W/MOUNTED GRID F.32MM	22351900	1		■	■				
	CREVICE NOZZLE	140 8012 000	1		■	■				
	NOZZLE CREVICE D40 BLACK	140 9599 500	1				■	■	■	■
	TUBE STEEL L=500MM	140 8246 040	1		■	■				
	EXTENSION TUBE STEEL D40 BLACK L=500MM	140 9597 500	1				■	■	■	■
	HOSE PLASTIC D32MM L1,9 W/COUPLING	140 6430 500	1		■	■				
	HOSE PLASTIC D40 W/COUPLING	140 9595 500	1				■	■	■	■
	DUST BAG SELF CLOSE 3 PCS WD245/260 + GWD350-375	140 7633 010	1				■	■	■	■
	DUST BAG SELF CLOSE 3 PCS WD 215/220 GD/GWD320 +335	140 7687 010	1		■	■				
	FILTER SACK GD 320/GWD300 SERIES	140 8658 500	1		■	■				
	FILTER SACK GWD 350/375	140 9512 500	1				■	■	■	■

Prices valid from: 131004

Accessories		Ref. no	Min. required	Price ()	GWD 320	GWD 335	GWD 350	GWD 375	GWD 350-2	GWD 375-2
+	MOTOR FILTER GD 320/GWD 300 SERIES	140 8682 500	1		■	■	■	■	■	■
	HOSE HANDLE STEEL D40 HANDLE FOR D40 HOSE	140 9596 500	1				■	■	■	■