



1. PRODUCT & COMPANY IDENTIFICATION

Product Name: POWER GEL

Uses: Thickened bleach for hard surface stain removal.

Supplier Details: Wedina Holdings Trading As: RESEARCH PRODUCTS

Address: PO Box 142 Artarmon NSW 1570

ABN 65 002 373 319 **ACN:** 002 373 319

Telephone: (02) 8868 6888 8am to 5pm Monday to Friday

Fax Number: (02) 9682 6855

Poisons Information Centre Telephone: 13 1126

2. HAZARDS IDENTIFICATION

Classified as hazardous according to criteria of NOHSC

Dangerous According to the Australian Code for the Transport of Dangerous Goods

Risk Classification: C; Corrosive.

Risk Phrases:

R35: Causes severe burns.

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R31: Contact with acids liberates toxic gas.

R41: Risk of serious damage to eyes.

Safety Phrases

S1/2 Keep locked up and out of reach of children.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse with plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection

S45 In case of accident or you feel unwell, seek medical advice immediately (show label or this MSDS whenever possible).

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Identity	Percentage	CAS No.
Potassium Hydroxide	< 10	1310-58-3
Sodium Hypochlorite	< 10	7681-52-9
Surfactant Blend	< 5	Non Hazardous
Water	< 70	7732-18-5

4. FIRST AID MEASURES

Swallowed: Immediately rinse mouth with water. Prevent patient from vomiting. If patient is unconscious, or not able to swallow, Do Not give anything by mouth to eat/drink, lay patients head to one side. If patient is conscious give water or milk to drink immediately. If vomiting occurs naturally, keep head lower than hips to prevent aspiration. Seek medical attention immediately.

Eye Exposure: Immediately flush eyes with plenty of water, remove contact lenses appropriate. Flush for 15 to 20 minutes, holding eyelids open. Seek medical attention immediately.

Skin Exposure: Remove all contaminated clothing. Wash affected area with plenty of water for 15 minutes. If burns occur seek medical attention immediately Launder clothing before reuse.

Inhalation: Remove victim from exposure to fresh air - avoid becoming a casualty. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical attention.

Advice to Doctor

No antidote is available. If inhaled, apply oxygen. If swallowed, endoscopy of the esophagus must be considered. The patient must be functionally treated according to symptoms.

5. FIRE FIGHTING MEASURES

Hazchem Code: 2X

Extinguishing Media

In case of fire, use appropriate media for surrounding fire.

Product is water based and is unlikely to play a contributing role in any fire. Heated product can decompose liberating toxic fumes of chlorine gas.

Special protective precautions and equipment for fire fighters

Fire fighters should wear self contained breathing apparatus and full protective clothing along with protective equipment.

Hazards from Combustion Products

No data available.

Flammability Conditions

Product is not flammable.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Use personal protective equipment including impervious gloves and eye protection.

Spilt material creates slippery conditions.

Environmental precautions:

CAUTION: Keep spills and cleaning runoff out of drains and open bodies of water.

Methods & Materials for Containment & Clean Up:

Contain spills immediately with inert absorbent materials (e.g. sand, earth).

Transfer liquids and used absorbent material to separate suitable containers for recovery or disposal.

7. HANDLING & STORAGE

Handling:

Avoid contact with eyes and skin. Ensure eyewash and safety shower are available and ready for use.

Conditions for safe storage

Store in a cool, dry, well-ventilated area. Keep container tightly closed when not in use. Do not store next to acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit(s): Not established for this product

For Potassium Hydroxide TLV = $2\text{mg}/\text{m}^3$ – Ceiling Value

Eye protection: Wear safety glasses.

Hand protection: Wear impervious gloves.

Engineering measures: Use only in well ventilated area.

Biological Limit Values: Not available

9. PHYSICAL & CHEMICAL PROPERTIES

Physical state:	Liquid
Colour:	Pale Yellow
Odour:	Alpine
pH:	Approximately 14
Boiling point/range:	Not determined
Melting point/range:	Not determined
Flash point:	Non combustible
Lower explosion limit:	Not applicable
Upper explosion limit:	Not applicable
Vapour pressure:	Not established
Relative vapour density:	Not established
Water solubility:	Miscible with water at all proportions
Relative density:	1.20
Viscosity, dynamic:	Not applicable
Evaporation rate:	Not established
Percent volatility:	Not determined

NOTE: The physical data presented above are typical values and should not be construed as a specification.

10. STABILITY & REACTIVITY

Hazardous Reactions:	Product is stable under normal conditions of use, storage and temperature. Do not store in metal containers especially aluminium. Oxidising agents. Reacts vigorously with acids producing toxic chlorine gas. Contamination of product and exposure to light and heat will accelerate decomposition. Incompatible with most metals. Will react with peroxide, metal salts and reducing agents..
Materials to avoid:	Avoid contact with acids and reducing agents. Do not contact with aluminium. Other metals to avoid are tin and zinc. Incompatible with perchlorates, peroxides, permanganates, chlorates, nitrates, chlorine, bromine and fluorine.
Polymerization:	Product will not undergo polymerization.

11. TOXICOLOGICAL INFORMATION

No data is available for this material

Toxicity Data: For Potassium Hydroxide

Oral Rat LD50: 273mk/kg. Corrosive agent: Inhalation, the skin, the eyes and swallowed.
Degree of Acute Toxicity: If swallowed, it is poisonous.

Toxicity Data: For Sodium Hypochlorite

No value assigned for this specific material by the NOHSC.

However, Exposure standard for decomposition product:

	TWA	STEL
Chlorine	1 ppm (3mg/m ³)	Peak Limitation

As published by the National Occupational Health and Safety Commission (WorkSafe Australia). Peak Limitation – a ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding 15 minutes.

Health Effects – Acute

Swallowed

If swallowed product will cause severe pain in the oral cavity and the oesophagus, vomiting and diarrhoea. The vomit will contain blood and substances from the insides of a mucous membrane. If patient does not die within 24 hours, he/she will recover for 2 – 4 days, then suffer from sudden pains, abnormal tetany of stomach and rapid fall of blood pressure indicating oesophagus perforation. In case of Esophagostenosis, its early symptoms appear early within a few weeks or within a few months.

Eye

Product will cause conjunctival oedema and corneal destruction. Causes burns and severe eye damage.

Skin

Product causes burns to skin.

Inhaled

Inhalation of mist causes burns to the respiratory tracts. In case of severe exposure, pneumonia, circulatory disturbance and peritonitis may arise.

12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available

Persistence and degradability: No information available for this product.

Mobility: No information available on this product.

Additional information

Environmental fate (exposure): Avoid contaminating waterways, drains and sewers.

Bioaccumulative potential: No information available for this product.

13. DISPOSAL CONSIDERATIONS

Environmental precautions: CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

Disposal: Dispose of in accordance with local, state and federal regulations.

14. TRANSPORT INFORMATION

Australian Code For Transport of Dangerous Goods by ROAD and RAIL

U.N. Number: 3093

U.N. Proper Shipping Name: CORROSIVE LIQUID, OXIDIZING N.O.S.

Subsidiary Risk: N/A

Packaging Group: III

Hazchem Code: 2X

15. REGULATORY INFORMATION

Label

Classification and labelling have been performed according to regulations.

Poison Schedule S6

EPG : CORROSIVE LIQUID, OXIDIZING N.O.S.

Australia. Industrial Chemical (Notification and Assessment) Act (AUSTR). All ingredients in this preparation are listed in the Australian Inventory of Chemical Substances, AICS.

16. OTHER INFORMATION

Date of Preparation: 08/08/2008

Key to Abbreviations & Acronyms Used in MSDS:

<	Less Than
>	Greater Than
AICS	Australian Inventory of Chemical Substances
CAS	Chemical Abstracts Service (Registry Number)
LC50	LC stands for lethal Concentration. LC50 is the concentration of a material in air which causes death of 50% (one half) of a group of test animals.
LD50	LD stands for "Lethal Dose". LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
NOHSC	National Occupational Health and Safety Commission.
OECD	Organisation for Economic Co-operation and Development.
PEL	Permissible Exposure Limit.
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
UN	United Nations (Number)
deg C (°C)	Degrees Celsius
g	Gram
g/cm ³	Grams per cubic centimetre
g/l	Grams per litre
Immiscible	Liquids are insoluble in each other
kg	Kilogram
kg/m ³	Kilograms per cubic metre
ltr	Litre
m ³	Cubic metre
mg	Milligram
mg/24H	Milligrams per 24 hours
mg/kg	Milligrams per kilogram
mg/m ³	Milligrams per cubic metre
miscible	Liquids form one homogeneous liquid
ppm	Parts per million
wt	weight

Literature References: Supplies MSDS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Uncontrolled document. Please ensure you have the current copy.

Version	7.1
Revision date:	08/08/2008
Print date:	25/09/08